




KRAMER

BC-2T

Stereo Audio/Control Bulk Cable



Kramer's BC-2T is a high-quality, dual shielded pair cable designed for routing balanced stereo mic or line level audio signals in commercial or residential AV systems

FEATURES

- Quality Construction** - Rugged and flexible jacket with sequential markings every meter
- Easy Stripping** - Exceptionally easy to strip because the foil shield is bonded to the inside of the jacket
- Length** - Available in reels of 300m (985ft)



KRAMER

TECHNICAL SPECIFICATIONS

CONDUCTORS	Material: Tinned Copper Size: 4x20AWG Diameter: 0.916mm
INSULATION	Material: PP Diameter: 1.8±0.09mm Average Thickness: 0.442mm Color: As color code
DRAIN WIRE	Size: 20AWG Material: Tinned Copper
SCREENING	Material: AL-foil/mylar Overlap: 25% min
JACKET	Material: PVC Diameter: 6.2 ± 0.19mm Color: Black Electrical specifications.:
ELECTRICAL	Temperature Rating: 75°C Insulation Resistance: DC-500V 100MΩ/KM MIN. at 20°C Conductor Resistance: 20AWG-34.6Ω/KM MAX. at 20°C Impedance: 40~100Ω
STANDARDS COMPLIANCE	UL: CM RoHS: 2011/65/ EU



KRAMER

CONFIGURATIONS

BC-2T-300M

2 Shielded Pair: 20 AWG Audio or Control Bulk Cable
