

Dolev 5

5-Inch, Two-Way Bi-Amplified Studio Grade Speaker







Kramer's Dolev 5 is a five-inch, two-way, bi-amplified studio grade speaker that provides superior clarity for high-end applications or any other task that requires precise, accurate and detailed sound

FEATURES

Type - Two-way bi-amplified studio-grade speaker

Woofer - 5.25" fiberglass cone

Tweeter - 1" neodymium soft dome

Frequency Response - 55Hz—20kHz

Amplifier - Bi-amplified - 50W total

Input - XLR (3-pin), RCA & 1/4" TRS - 10kΩ balanced/unbalanced

Shielding - Magnetically shielded

Dimensions - $186 \text{mm} \times 254 \text{mm} \times 277 \text{mm}$ (7.33" x 10.0" x 10.9") W, D, H (including grill)

Color - Available in white or black



TECHNICAL SPECIFICATIONS

DESCRIPTION: 2-way bi-amplified powered speaker

BUILT IN POWER

AMPLIFIER:

50W RMS; tweeter: 30W; woofer:30W

AMPLIFIER CLASS: A/B

FREQUENCY

55Hz to 20kHz @±3dB

RESPONSE:

5.25" fiberglass cone, rubber surround

TWEETER:

WOOFER:

1" soft silk dome, neodymium

SENSITIVITY:

88dB SPL, 1W @1m

MAX SPL:

109dB

POWER SOURCE:

110V AC 60Hz, 220V AC 50Hz

CROSSOVER

FREQUENCY:

3.7kHz

CONTROLS:

Volume and high-frequency gain

INPUT

1 balanced XLR connector, 1 balanced 1/4" TRS connector, 1 unbalanced RCA

CONNECTORS:

connector

MATERIALS:

Wooden cabinet, magnet-held fabric grill

WEIGHT OF

SPEAKER:

6.14kg (6.83lbs) approx

INCLUDED

ACCESSORIES:

Power cord

COLOR:

Available in white and black

OPTIONS:

XLR quad cable (C-XLQM/XLQF); 3.5mm to 2 RCA breakout cable

(C-A35M/2RAM)



CONFIGURATIONS

| Dolev 5/Black | 5-Inch, Two-Way Bi-Amplified Studio Grade Speaker Black |
|---------------|---|
| Dolev 5/White | 5-Inch, Two-Way Bi-Amplified Studio Grade Speaker White |