



# kramer

## C-4LC/4LC

4 LC Fiber Optic Cable

---



Kramer's C-4LC/4LC is constructed of four color coded multi-mode 50/125um simplex cables of 2.0mm (0.079in) diameter each, contained in a round overall orange jacket. It is intended primarily as a companion to various Kramer detachable transmitter/receiver sets

## FEATURES

---

**Quality Construction** - Multimode optical fiber with an operating wavelength of 850nm. Sub-cables are color coded: red, green, blue and orange, terminated with the popular LC connectors for easy installation and are shipped with dust caps at the ends

**Numerous Applications** - Use these cables to connect our optical transmitter and receivers for DVI and HDMI, such as: 610T/R, 621T/R and 631T/R

**Varied Selection of Lengths** - Available in versions of 33 to 1640ft (10 to 500m)



# kramer

## TECHNICAL SPECIFICATIONS

---

FIBER:	Multimode 50/125 $\mu$ m optical fiber
FIBER CORD:	PVC (OFNR) 2.0 x 4
OUTER DIAMETER:	7.0mm (0.275in), orange
OPERATING WAVELENGTH:	850nm
INSERTION LOSS:	0.3dB
TEMPERATURE:	-40° to 80°C (-40° to 176°F)



# kramer

## CONFIGURATIONS

---

C-4LC/4LC-33	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-66	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-99	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-164	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-200	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-328	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-656	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-984	4 LC (M) to 4 LC (M) Fiber Optic Cable
C-4LC/4LC-1640	4 LC (M) to 4 LC (M) Fiber Optic Cable