



# kramer

## CLS-AOCDP/UF

Active Optical DisplayPort Cable

---



CLS-AOCDP/UF is a DisplayPort™ 1.4, 8K active optical cable (AOC) that features high resolution and data transfer rate. CLS-AOCDP/UF is thin and flexible and requires no external power. User experience is maximized with integrator-oriented features and the latest advances in DisplayPort 1.4 technology

### FEATURES

---

**Latest DisplayPort Technology** - Supports 3D, HDCP, EDID, HBR3, DSC, and 8K@60Hz resolution

**Streamlines Installations** - Supports up to 8K@60Hz over long cable runs of up to 100 meters without the need for an external power supply or additional extenders

**High Data Transfer Rate** - Up to 32.4Gbps data rate with 8.1Gbps/lane (HBR3) link rate

**Supports up to 8 channels of 16 or 24bits linear PCM & 32 to 192KHz sampling rate**

**No External Power Needed** - Powers the active units via the DisplayPort connector

**Thin Construction** - 4.8mm diameter

**Safe Construction** - Low smoke & halogen free

**Compliance** - RoHS 2011/65/EU compliant, CE/FCC



# kramer

## TECHNICAL SPECIFICATIONS

---

Video	Max. Resolution: 8K@60Hz (7680 × 4320) Max. Data Rate: 32.4 Gbps (HBR3) Max Color Depth: 48bit DisplayPort Support: HDCP 2.2, EDID and DPCP
Audio	Channels: Up to 8 of 16 or 24bits linear PCM Sampling Rate: 32 to 192KHz
CONSTRUCTION	Connectors: Male DisplayPort gold plated Cable Structure: Hybrid Optical Fiber Cable Fiber Optic: 4X850nm Multi-mode fiber Fiber Cable Type: Hybrid cable – 4 x fiber and 8 x copper wires Conductors: 2px26AWG + 4cx28AWG + 2cx24AWG
JACKET	Outer Sheath Material: LSHF Outer Sheath Color: PVC Black Outer Sheath Diameter: 4.8mm
PHYSICAL	Minimum Cable Bending Radius: 48mm Connector Max. Pulling Strength: 25.173Kg Max. Compression Load Resistance: 300N
Environmental Conditions	Operating Temperature: 0 to +50°C Storage Temperature: -20 to +85°C Operating Humidity: 5 to 85%
Power	Consumption <0.5W for each end
Regulatory Compliance (Standards Compliance)	LSHF EN 60332-1-2, EN 50399  RoHS: 2011/65/ EU Certified: CE/FCC



# kramer

## CONFIGURATIONS

---

CLS-AOCDP/UF-33	Active Optical DisplayPort Cable
CLS-AOCDP/UF-50	Active Optical DisplayPort Cable
CLS-AOCDP/UF-66	Active Optical DisplayPort Cable
CLS-AOCDP/UF-98	Active Optical DisplayPort Cable
CLS-AOCDP/UF-131	Active Optical DisplayPort Cable
CLS-AOCDP/UF-164	Active Optical DisplayPort Cable
CLS-AOCDP/UF-197	Active Optical DisplayPort Cable
CLS-AOCDP/UF-230	Active Optical DisplayPort Cable
CLS-AOCDP/UF-262	Active Optical DisplayPort Cable
CLS-AOCDP/UF-295	Active Optical DisplayPort Cable
CLS-AOCDP/UF-328	Active Optical DisplayPort Cable